Subject Index

Aircraft Technology, Conventional, STOL/VTOL

Aerodynamics

Simple Computational Technique for Determining Angle-of-Attack Convergence of Conical Re-entry Vehicles G88-028

Aeroelasticity

Design of a Multivariable Flutter Suppression/Gust Load Alleviation System G88-037

Avionics Systems

Adaptive Filtering of Biodynamic Stick Feedthrough in Manipulation Tasks On Board Moving Platforms G88-024
The Use of Weibull Fault Processes in Modeling Fault Tolerant Systems G88-014

Flight Operations

Gamma Guidance Schemes for Flight in a Windshear G88-054

Guidance and Control

Singular Perturbation and Time Scale Approaches in Discrete Control Systems G88-100
Identity Between INS Position and Velocity Error Equations in the True Frame G88-099
Fundamental Approach to Equivalent Systems Analysis G88-091
Advanced Detection, Isolation, and Accommodation of Sensor Failures--Real-Time Evaluation G88-090
Failure Detection in Dynamic Systems with Modeling Errors G88-089
Enhanced Assessment of Robustness for an Aircraft's Sliding Mode Controller G88-088
Artificial Intelligence Design Challenge--Background, Analysis, and Relative Performance of Algorithms G88-067
Propellant Interaction with the Payload Control System of Dual-Spin Spacecraft G88-057
Reduced-Order Compensation: Linear-Quadratic Reduction Versus Optimal Projection G88-055
Gamma Guidance Schemes for Flight in a Windshear G88-054
Application of Frequency-Domain Handling Qualities Criteria to the Longitudinal Landing Task G88-049
Computer-Aided Control Systems Design Technique with Applications to Aircraft Flying Qualities G88-041
Control Theoretic Approach to Inertial Navigation Systems G88-039
Design of a Multivariable Flutter Suppression/Gust Load Alleviation System G88-037
Adaptive Filtering of Biodynamic Stick Feedthrough in Manipulation Tasks On Board Moving Platforms G88-024
Preview Control Pilot Model for Near-Earth Maneuvering Helicopter Flight G88-023
Optimal Control of Supersonic Inlet/Engine Combination G88-022
Approach Trajectory Guidance for Maximum Concealment G88-015
Loop-Transfer Recovery via Hardy-Space Optimization G88-013
Fixed-Order Dynamic Compensation for Multivariable Linear Systems G88-012
Gas Laser Frequency Control for Passive Cavity Ring Gyros G88-010
Generating Parity Relations for Detecting and Identifying Control System Component Failures G88-009
Interior Transition Layers in Flight-Path Optimization G88-002

Handling Qualities, Stability and Control

Loop Separation Parameter: A New Metric for Landing Flying Qualities G88-092
Enhanced Assessment of Robustness for an Aircraft's Sliding Mode Controller G88-088
Pilot/Vehicle Analysis of a Twin-Lift Helicopter Configuration in Hover G88-079
Application of Frequency-Domain Handling Qualities Criteria to the Longitudinal Landing Task G88-049
Computer-Aided Control Systems Design Technique with Applications to Aircraft Flying Qualities G88-041
Identification of Pilot Dynamics in a System with a Choice of Feedback Structures G88-025
Preview Control Pilot Model for Near-Earth Maneuvering Helicopter Flight G88-023

Helicopters

Pilot/Vehicle Analysis of a Twin-Lift Helicopter Configuration in Hover G88-079
Preview Control Pilot Model for Near-Earth Maneuvering Helicopter Flight G88-023
Optimal Landing of a Helicopter in Autorotation G88-001

Landing Dynamics

Loop Separation Parameter: A New Metric for Landing Flying Qualities G88-092
Application of Frequency-Domain Handling Qualities Criteria to the Longitudinal Landing Task G88-049

Navigation, Communication, and Traffic Control

Solution to the Traveling Salesman Problem Using Heuristic Function Maximization G88-075

Performance

Gamma Guidance Schemes for Flight in a Windshear G88-054
Interior Transition Layers in Flight-Path Optimization G88-002

Simulation

New Insights into Minimum-Variance Reduced-Order Filters G88-087
Triangularization of Equations of Motion for Robotic Systems G88-045
Estimation of Small Perturbations in an Inertial Sensor G88-026

Testing, Flight and Ground

Application of Parameter Estimation to Highly Unstable Aircraft G88-036

Fluid Dynamics

Wave Motion and Sloshing

Propellant Interaction with the Payload Control System of Dual-Spin Spacecraft G88-057

Interdisciplinary Topics

Analytical and Numerical Methods

Singular Perturbation and Time Scale Approaches in Discrete Control Systems G88-100
New Insights into Minimum-Variance Reduced-Order Filters G88-087
Miss Distance Analysis for Command Guided Missiles G88-085
Finite-Time Matrix Convolution Integral Sensitivity Calculations G88-080
Branch-and-Cut Approach to a Variant of the Traveling Salesman Problem G88-076
Brute Force and Artificial Intelligence G88-073
Rapid Solution of Constrained Traveling Salesman Problems G88-070
Multiple Algorithm Solution to the Artificial Intelligence Design Challenge G88-069
Efficiency-Guided Method for Traveling-Salesman-Like Resource Allocation Problems G88-068
Artificial Intelligence Design Challenge--Background, Analysis, and Relative Performance of Algorithms G88-067
Vector Representation of Finite Rotations G88-065
Stabilization of Computational Procedures for Constrained Dynamical Systems G88-060
Algorithm to Generate Geodetic Coordinates from Earth-Centered Earth-Fixed Coordinates G88-046
Variable-Structure Control of Spacecraft Attitude Maneuvers G88-043
Computer-Aided Control Systems Design Technique with Applications to Aircraft Flying Qualities G88-041
Calculation of Geodetic Coordinates from Earth-Centered, Earth-Fixed Coordinates G88-031
Kalman Filtering for Second-Order Models G88-029
Simple Computational Technique for Determining Angle-of-Attack Convergence of Conical Re-entry Vehicles G88-028
Estimation of Small Perturbations in an Inertial Sensor G88-026
Identification of Pilot Dynamics in a System with a Choice of Feedback Structures G88-025
Fixed-Order Dynamic Compensation for Multivariable Linear Systems G88-012
Recursion Formulas of Legendre Functions for Use with Nonsingular Geopotential Models G88-005
Interior Transition Layers in Flight-Path Optimization G88-002

Astrodynamics

Advantages of Tether Release of Satellites from Elliptic Orbits G88-084
Dynamics and Control of a Space Platform with a Tethered Subsatellite G88-064
Molniya Orbits Obtained by the Two-Burn Method G88-062
Optimal Payload Lofting with Tethers G88-058
Series Representations and Rational Approximations for Hansen Coefficients G88-053
Preliminary Performance Analysis of an Interplanetary Navigation System Using Asteroid Based Beacons G88-017

Recursion Formulas of Legendre Functions for Use with Nonsingular Geopotential Models G88-005

Celestial Mechanics

Series Representations and Rational Approximations for Hansen Coefficients G88-053
Pseudouptriangular Decomposition Method for Constrained Multibody Systems Using Kane's Equations G88-006

Computer Communications, Information Processing and Software

Heuristic Approach to the Artificial Intelligence Design Challenge G88-083
Brute Force and Artificial Intelligence G88-073

Computer Science

Expert Systems Approach for Generalized Traveling Salesman Problem G88-074
Efficiency-Guided Method for Traveling-Salesman-Like Resource Allocation Problems G88-068
Molniya Orbits Obtained by the Two-Burn Method G88-062

Computer Software

Branch-and-Cut Approach to a Variant of the Traveling Salesman Problem G88-076
Expert Systems Approach for Generalized Traveling Salesman Problem G88-074
Brute Force and Artificial Intelligence G88-073
Weighted Hamiltonian Augmentation Method Involving Insertions G88-071
Multiple Algorithm Solution to the Artificial Intelligence Design Challenge G88-069
Efficiency-Guided Method for Traveling-Salesman-Like Resource Allocation Problems G88-068
Dynamics and Control of a Space Platform with a Tethered Subsatellite G88-064
Discrete Optimal Tracking with Prescribed Disturbances G88-061
Triangularization of Equations of Motion for Robotic Systems G88-045

Human Factors

Loop Separation Parameter: A New Metric for Landing Flying Qualities G88-092
Identification of Pilot Dynamics in a System with a Choice of Feedback Structures G88-025

Lasers and Laser Applications

Gas Laser Frequency Control for Passive Cavity Ring Gyros G88-010

Numerical Analysis

Finite-Time Matrix Convolution Integral Sensitivity Calculations G88-080
Estimation of Small Perturbations in an Inertial Sensor G88-026
Robust Adaptive Flight-Path Reconstruction Technique for Nonsteady Longitudinal Flight Test Maneuvers G88-011
Pseudouptriangular Decomposition Method for Constrained Multibody Systems Using Kane's Equations G88-006
Recursion Formulas of Legendre Functions for Use with Nonsingular Geopotential Models G88-005

Reliability, Maintainability, and Logistics Support

The Use of Weibull Fault Processes in Modeling Fault Tolerant Systems G88-014
Generating Parity Relations for Detecting and Identifying Control System Component Failures G88-009

Sensor Systems

Identity Between INS Position and Velocity Error Equations in the True Frame G88-099
Failure Detection in Dynamic Systems with Modeling Errors G88-089
Development of Low-Altitude Air Defense Systems (History of Key Technologies) G88-016
Gas Laser Frequency Control for Passive Cavity Ring Gyros G88-010

State Estimation

New Insights into Minimum-Variance Reduced-Order Filters G88-087
Principal Coordinate Realization of State Estimation and Its Application to Order Reduction G88-048
Minimum Model Error Estimation for Poorly Modeled Dynamic Systems G88-042
Control Theoretic Approach to Inertial Navigation Systems G88-039
Optimal Estimation of Local Orbit from GPS Measurements G88-030
Kalman Filtering for Second-Order Models G88-029
Robust Adaptive Flight-Path Reconstruction Technique for Nonsteady Longitudinal Flight Test Maneuvers G88-011

System Identification

Identification Method for Lightly Damped Structures G88-096
Inflight Observability of Gyro Reference Frame Misalignment G88-040
Application of Parameter Estimation to Highly Unstable Aircraft G88-036
Effects of Strapdown Seeker Scale-Factor Uncertainty on Optimal Guidance G88-034

Launch Vehicle and Missile (LV/M) Technology

Aerodynamics

Simple Computational Technique for Determining Angle-of-Attack Convergence of Conical Re-entry Vehicles G88-028

Command and Information Systems

Discrete Optimal Tracking with Prescribed Disturbances G88-061

Dynamics and Control

Singular Perturbation and Time Scale Approaches in Discrete Control Systems G88-100
Block-Krylov Component Synthesis Method for Structural Model Reduction G88-095
Spin Rate Variations of Spin-Stabilized Apogee Motors in Thrust Phase G88-066
Discrete Optimal Tracking with Prescribed Disturbances G88-061
Singular Optimal Atmospheric Rocket Trajectories G88-052
Relationship Between Kane's Equations and the Gibbs-Appell Equations G87-020

Guidance

Identity Between INS Position and Velocity Error Equations in the True Frame G88-099
Miss Distance Analysis for Command Guided Missiles G88-085
Low-Thrust Insertion into Orbit around Mars G88-081
Clutter Effect on the Miss Distance of a Radar Homing Missile G88-056
Singular Optimal Atmospheric Rocket Trajectories G88-052
Optimal Evasion with a Path-Angle Constraint and Against Two Pursuers G88-051
Control Theoretic Approach to Inertial Navigation Systems G88-039
Effects of Strapdown Seeker Scale-Factor Uncertainty on Optimal Guidance G88-034
CEP Calculations for a Rocket with Different Control Systems G88-033
Can a Mixed Guidance Strategy Improve Missile Performance? G88-008
Determination of Geopotential Coefficients by Efficient Numerical Integration Techniques G88-004

Launch Vehicle Systems

Singular Optimal Atmospheric Rocket Trajectories G88-052

Missile Systems

Miss Distance Analysis for Command Guided Missiles G88-085
Clutter Effect on the Miss Distance of a Radar Homing Missile G88-056
Cruise-Dash-Climb Analysis of an Airbreathing Missile G88-050
Effects of Strapdown Seeker Scale-Factor Uncertainty on Optimal Guidance G88-034
Development of Low-Altitude Air Defense Systems (History of Key Technologies) G88-016
Can a Mixed Guidance Strategy Improve Missile Performance? G88-008

Simulation

Spin Rate Variations of Spin-Stabilized Apogee Motors in Thrust Phase G88-066
Clutter Effect on the Miss Distance of a Radar Homing Missile G88-056
Determination of Geopotential Coefficients by Efficient Numerical Integration Techniques G88-004

Propulsion

Airbreathing Propulsion

Advanced Detection, Isolation, and Accommodation of Sensor Failures--Real-Time Evaluation G88-090
Cruise-Dash-Climb Analysis of an Airbreathing Missile G88-050

Engine Control

Advanced Detection, Isolation, and Accommodation of Sensor Failures--Real-Time Evaluation G88-090
Failure Detection in Dynamic Systems with Modeling Errors G88-089

Optimal Control of Supersonic Inlet/Engine Combination G88-022

Spacecraft Technology

Data Sensing, Presentation, and Transmission

The Use of Weibull Fault Processes in Modeling Fault Tolerant Systems G88-014

Dynamics and Control

Dynamic Simulation of Spin-Stabilized Spacecraft with Sloshing Fluid Stores G88-102
Extensional Oscillations of Tethered Satellite Systems G88-101
Efficient Inclination Control for Geostationary Satellites G88-098
Gyrostat Trajectories and Core Energy G88-097
Identification Method for Lightly Damped Structures G88-096
Block-Krylov Component Synthesis Method for Structural Model Reduction G88-095
Pole-Zero Modeling of Flexible Space Structures G88-094
Maneuver and Vibration Control of SCOLE G88-093
Fundamental Approach to Equivalent Systems Analysis G88-091
Exactly Solving the Weighted Time/Fuel Optimal Control of an Undamped Harmonic Oscillator G88-086
Advantages of Tether Release of Satellites from Elliptic Orbits G88-084
Finite-Time Matrix Convolution Integral Sensitivity Calculations G88-080
Reduced-Order Modeling of Flexible Structures G88-078
Theoretical and Experimental Investigation of Space-Realizable Inertial Actuation for Passive and Active Structural Control G88-077
Dynamics and Control of a Space Platform with a Tethered Subsatellite G88-064
Some Approximations for the Dynamics of Spacecraft Tethers G88-059
Optimal Payload Lofting with Tethers G88-058
Reduced-Order Compensation: Linear-Quadratic Reduction Versus Optimal Projection G88-055
Evaluation of Image Stability of a Precision Pointing Spacecraft G88-047
Active Vibration Control Synthesis for the Control of Flexible Structures Mast Flight System G88-044
Variable-Structure Control of Spacecraft Attitude Maneuvers G88-043
Minimum Model Error Estimation for Poorly Modeled Dynamic Systems G88-042
Microprocessor Controlled Force Actuator G88-038
Input Selection for a Second-Order Mass Property Estimator G88-035
Spillover Alleviation for Nonlinear Active Control of Vibration G88-020
Hubble Space Telescope Precision Pointing Control System G88-019
Fixed-Order Dynamic Compensation for Multivariable Linear Systems G88-012
Generating Parity Relations for Detecting and Identifying Control System Component Failures G88-009
Momentum Management and Attitude Control Design for a Space Station G88-003
Relationship Between Kane's Equations and the Gibbs-Appell Equations G87-020

Earth-Orbital Trajectories

Efficient Inclination Control for Geostationary Satellites G88-098
Molniya Orbits Obtained by the Two-Burn Method G88-062
Optimal Payload Lofting with Tethers G88-058
Series Representations and Rational Approximations for Hansen Coefficients G88-053
Algorithm to Generate Geodetic Coordinates from Earth-Centered Earth-Fixed Coordinates G88-046
Optimal Estimation of Local Orbit from GPS Measurements G88-030
Effect of Rotating Earth for Analysis of Aeroassisted Orbital Transfer Vehicles G88-007

Entry Vehicle Dynamics and Control

Stabilization of Computational Procedures for Constrained Dynamical Systems G88-060

Entry Vehicle Guidance

Optimal Evasion with a Path-Angle Constraint and Against Two Pursuers G88-051
Maximum Terminal Velocity Turns at Nearly Constant Altitude G88-021

Entry Vehicle Mission Studies and Flight Mechanics

Effect of Rotating Earth for Analysis of Aeroassisted Orbital Transfer Vehicles G88-007

Mission Analysis

Advantages of Tether Release of Satellites from Elliptic Orbits G88-084
Artificial Intelligence Design Challenge--Background, Analysis, and Relative Performance of Algorithms G88-067
Navigation and Pointing Timeline Development for an Autonomous Free-Flying Shuttle Payload G88-018

Missions and Economics

Efficient Inclination Control for Geostationary Satellites G88-098

Navigation, Guidance, and Flight-Path Control

Expert Systems Approach for Generalized Traveling Salesman Problem G88-074
Optimal Proportional Navigation G88-063
Reduced-Order Compensation: Linear-Quadratic Reduction Versus Optimal Projection G88-055
Optimal Estimation of Local Orbit from GPS Measurements G88-030
Navigation and Pointing Timeline Development for an Autonomous Free-Flying Shuttle Payload G88-018
Effect of Rotating Earth for Analysis of Aeroassisted Orbital Transfer Vehicles G88-007

Simulation

Triangularization of Equations of Motion for Robotic Systems G88-045

Space Station Systems, Manned

Input Selection for a Second-Order Mass Property Estimator G88-035

Systems

Gyrostat Trajectories and Core Energy G88-097
Tethered Subsatellite Swinging from Atmospheric Gradients G88-082
Hubble Space Telescope Precision Pointing Control System G88-019

Testing, Flight and Ground

Propellant Interaction with the Payload Control System of Dual-Spin Spacecraft G88-057
Input Selection for a Second-Order Mass Property Estimator G88-035
Hubble Space Telescope Precision Pointing Control System G88-019

Structural Mechanics and Materials

Structural Design

Re-examination of Eigenvector Derivatives G87-092

Structural Dynamics

Extensional Oscillations of Tethered Satellite Systems G88-101
Identification Method for Lightly Damped Structures G88-096
Block-Krylov Component Synthesis Method for Structural Model Reduction G88-095
Maneuver and Vibration Control of SCOLE G88-093
Theoretical and Experimental Investigation of Space-Realizable Inertial Actuation for Passive and Active Structural Control G88-077
Stabilization of Computational Procedures for Constrained Dynamical Systems G88-060
Some Approximations for the Dynamics of Spacecraft Tethers G88-059
Microprocessor Controlled Force Actuator G88-038
Simulation of a Random Differential Equation G88-027
Pseudouptriangular Decomposition Method for Constrained Multibody Systems Using Kane's Equations G88-006
Re-examination of Eigenvector Derivatives G87-092

Structural Stability

Some Approximations for the Dynamics of Spacecraft Tethers G88-059
Simulation of a Random Differential Equation G88-027
Re-examination of Eigenvector Derivatives G87-092

Author Index

Adimurthy, V., G88-066
Alpert, J., G88-085
Amirouche, F. M. L., G88-006
Ardema, M. D., G88-092
Bacon, B. J., G88-091
Bainum, P. M., G88-064
Banda, S. S., G88-013
Banerjee, A. K., G87-020
Bar-Itzhack, I. Y., G88-039, G88-099
Baumgarten, J. R., G88-102
Beals, G. A., G88-019
Ben-Asher, J., G88-051
Benaroya, H., G88-027
Benden, W. J., G88-098
Bergmann, E. V., G88-035
Berman, N., G88-039
Biezad, D. J., G88-010, G88-092
Bowles, R. L., G88-054
Brodsky, R. F., G88-062
Bruton, W. M., G88-090
Bryson, A. E., Jr., G88-001, G88-094
Calise, A. J., G88-012
Callan, C. G., Jr., G88-068
Challoner, A. D., G88-057
Chan, K. K., G88-023
Chichka, D. F., G88-050
Chiou, J. C., G88-060
Cliff, E. M., G88-050, G88-051
Conway, B. A., G88-084
Craig, R. R., Jr., G88-095
Crawley, E. F., G88-077
Creamer, N. G., G88-096
Crum, R. C., G88-019
Dabbaghi, H., G88-098
Dahl, R. W., G88-071
DeJong, C. D., G88-070
DeLaat, J. C., G88-090
Desloge, E. A., G87-020
Deutsch, O. L., G88-067
DiDominico, E. D., G88-092
Doty, K. W., G88-069
Dougherty, H. J., G88-019
Dowell, E. H., G88-048
Dugan, J., G88-014
Dwyer, T. A. W., III, G88-043
Eisler, G. R., G88-021
Falangas, E. T., G88-003
Farm, J. A., G88-037
Forte, I., G88-008
Fossier, M. W., G88-016
Garrard, W. L., G88-037
Geist, R., G88-014
Goshen-Meskin, D., G88-099
Goto, N., G88-025
Greeley, S. W., G88-055
Gregoriou, G., G88-033
Grunberg, D. B., G88-072
Grunwald, A., G88-024
Guan, Y., G88-022
Guelman, M., G88-097
Hablani, H. B., G88-047
Hale, A. L., G88-095
Hall, D., G88-028
Hansen, R. A., G88-004
Hashemipour, H. R., G88-029
Hegel, D. K., G88-019
Hess, R. A., G88-023, G88-079
Hill, D. E., G88-102
Hindson, W. S., G88-001
Holman, J. M. L., G88-081
Horak, D. T., G88-089
Horner, G. C., G88-038
Huang, C. Y., G88-075
Huang, W. H., G88-040
Hull, D. G., G88-021
Huston, R. L., G87-020
Hyland, D. C., G88-055
Ikawa, H., G88-007
Imado, F., G88-056
Inman, D. J., G88-038
James, R. M., G88-072
Jee, J. R., G88-017
Jia, T., G88-006
Johnson, G. K., G88-098
Junkins, J. L., G87-092, G88-042, G88-080, G88-096
Keat, J. E., G87-020
Keating, K., G88-071
Kelley, H. J., G88-050, G88-051, G88-052
Kelley, J. L., G88-019
Khatib, A. R., G88-017
Koval, L. R., G88-078
Kramer, F. S., G88-012
Kuga, H. K., G88-030
Kumar, P., G88-066
Kumar, R., G88-052
Kuroda, T., G88-056
Kyroudis, G. A., G88-084
Lakshminarayanan, S., G88-066
Lambros, S. D., G88-018
Lane, S. H., G88-075
Laub, A. J., G88-029
Lee, A. Y., G88-001
Levinson, D. A., G87-020
Levy, L., G88-071
Liebst, B. S., G88-037
Lim, K. B., G87-092
Lirov, Y., G88-074
Lopes de Oliveira e Souza, M., G88-086
Lopes, R. V. F., G88-030
Lorenz, M. A., G88-010
Lundberg, J. B., G88-005
Lynch, P. J., G88-013
Maine, R. E., G88-036
Martz, J. J., G88-092
Massoumnia, M., G88-009
Matsuo, T., G88-025
Maurer, R., G88-028
McClain, W. D., G88-053
McQuade, T. E., G88-013
Meirovitch, L., G88-093
Melvin, W. W., G88-054
Merhav, S., G88-024
Merrill, W. C., G88-090
Messac, A., G88-080
Miele, A., G88-054
Miller, D. W., G88-077
Miller, J. T., G88-102
Misra, A. K., G88-101
Miwa, S., G88-056
Miyazawa, Y., G88-048
Modi, V. J., G88-101
Mook, J. D., G88-042
Morgan, H. D., G88-003
Mudge, S. K., G88-088
Muellerschoen, R. J., G88-017
Murray, J. E., G88-036
Naddef, D., G88-083
Nag, B., G88-071
Naidu, D. S., G88-100
Nautiyal, A., G88-046
Olney, D. J., G88-018
Olson, K. D., II, G88-031
Onoda, J., G88-082
Padberg, M., G88-076
Park, K. C., G88-060
Parvez, S. A., G88-081
Patton, R. J., G88-088
Powers, B. G., G88-049
Press, W. H., G88-068
Preumont, A., G88-020
Price, D. B., G88-100
Proulx, R. J., G88-053
Pujara, L. R., G88-041
Quinn, R. D., G88-093
Ramakrishnan, J. V., G88-078
Rao, S. V., G88-078
Rehak, M., G88-027
Richfield, R. F., G88-035
Rinaldi, G., G88-076
Rodden, J. J., G88-019
Rosenthal, D. E., G87-020, G88-045
Rotgé, J. R., G88-010
Ruying, F., G88-064
Salamone, D. J., G88-071
Sanborn, J. A., G88-071
Sanchez Peña, R. S., G88-026
Sarrafian, S. K., G88-049
Schaechter, D. B., G88-073
Schmidt, D. K., G88-091
Schutz, B. E., G88-005
Setterlund, R. H., G88-087
Shankar, U. J., G88-050
Shaw, J. J., G88-072
Shefer, M., G88-061
Sheu, H., G88-083
Shinar, J., G88-008
Sira-Ramirez, H., G88-043
Slafer, L. I., G88-057
Slavinskas, D. D., G88-098
Smotherman, M., G88-014
Stone, A. D., G88-062
Sung, T., G88-083
Tran, P. M., G88-079
Trivedi, K., G88-014
Turner, J. D., G88-080
Vander Velde, W. E., G88-009
Velger, M., G88-024
Verhaegen, M. H., G88-011
Vincent, M. A., G88-017
von Flotow, A. H., G88-059
Walker, B. K., G88-035
Wang, B. P., G87-092
Wang, T., G88-054
Warner, D. N., Jr., G88-015
Watanabe, N., G88-082
Watzin, J. G., G88-018
Wie, B., G88-044, G88-094
Wiesel, W. E., G88-058
Wilcox, J. C., G88-065
Williams, B. G., G88-017
Willman, W. W., G88-034
Woo, H. H., G88-003
Yang, C., G88-063
Yang, L., G88-002
Yarng, J., G88-022
Yeh, F., G88-063
Yeh, H., G88-013
Zadunaisky, P. E., G88-026
Zimmerman, D. C., G88-038

Chronological Index

G87-020 Relationship Between Kane's Equations and the Gibbs-Appell Equations. Edward A. Desloge, *Florida State University* (**10**, 1, p. 120) Engineering Note
Technical Comment by David A. Levinson, *Lockheed Palo Alto Research Laboratory* (**10**, 6, p. 593)
Technical Comment by J. E. Keat, *Photon Research Associates, Inc.* (**10**, 6, p. 594)
Technical Comment by Dan E. Rosenthal, *Symbolic Dynamics* (**10**, 6, p. 595)
Technical Comment by Arun K. Banerjee, *Lockheed Missiles & Space Company* (**10**, 6, p. 597)
Technical Comment by Ronald L. Huston, *University of Cincinnati* (**11**, 2, p. 191)

G87-092 Re-examination of Eigenvector Derivatives. K. B. Lim and J. L. Junkins, *Texas A&M University*; and B. P. Wang, *University of Texas* (**10**, 6, p. 581) Article
Errata (**11**, 2, p. 192)

G88-001 Optimal Landing of a Helicopter in Autorotation. Allen Y. Lee, Arthur E. Bryson Jr. and William S. Hindson, *Stanford University* (**11**, 1, p. 7) Article

G88-002 Interior Transition Layers in Flight-Path Optimization. Mark D. Ardema, *Santa Clara University*; and L. Yang, *Sterling Software* (**1**, 1, p. 13) Article based on AIAA Paper 86-2037 CP869

G88-003 Momentum Management and Attitude Control Design for a Space Station. Henry H. Woo, Henley D. Morgan and Eric T. Falangas, *Rockwell International* (**11**, 1, p. 19) Article based on AIAA Paper 86-2047 CP869

G88-004 Determination of Geopotential Coefficients by Efficient Numerical Integration Techniques. R. A. Hansen, *Brigham Young University* (**11**, 1, p. 26) Article based on AIAA Paper 86-2258 CP869

G88-005 Recursion Formulas of Legendre Functions for Use with Nonsingular Geopotential Models. John B. Lundberg and Bob E. Schutz, *University of Texas at Austin* (**11**, 1, p. 31) Article

G88-006 Pseudouptriangular Decomposition Method for Constrained Multibody Systems Using Kane's Equations. F. M. L. Amirouche and T. Jia, *University of Illinois at Chicago* (**11**, 1, p. 39) Article

G88-007 Effect of Rotating Earth for Analysis of Aeroassisted Orbital Transfer Vehicles. Hideo Ikawa, *Aerojet Propulsion Research Institute* (**11**, 1, p. 47) Article based on AIAA Paper 86-2133 CP868

G88-008 Can a Mixed Guidance Strategy Improve Missile Performance? I. Forte and J. Shinar, *Technion--Israel Institute of Technology* (**11**, 1, p. 53) Article

G88-009 Generating Parity Relations for Detecting and Identifying Control System Component Failures. Mohammad-Ali Massoumnia and Wallace E. Vander Velde, *Massachusetts Institute of Technology* (**11**, 1, p. 60) Article

G88-010 Gas Laser Frequency Control for Passive Cavity Ring Gyros. Mark A. Lorenz, *U. S. Air Force Academy*; James R. Rotgé, *Frank J. Seiler Research Laboratory*; and Daniel J. Biezad, *U. S. Air Force Institute of Technology* (**11**, 1, p. 66) Article based on AIAA Paper 86-2211 CP869

G88-011 Robust Adaptive Flight-Path Reconstruction Technique for Nonsteady Longitudinal Flight Test Maneuvers. M. H. Verhaegen, *NASA Ames Research Center* (**11**, 1, p. 72) Article based on AIAA Paper 86-2018 CP868

G88-012 Fixed-Order Dynamic Compensation for Multivariable Linear Systems. Friedrich S. Kramer, *DFVLR, FRG*; and Anthony J. Calise, *Georgia Institute of Technology* (**11**, 1, p. 80) Article

G88-013 Loop-Transfer Recovery via Hardy-Space Optimization. Hsi-Han Yeh, Siva S. Banda, P. J. Lynch and Timothy E. McQuade, *Flight Dynamics Laboratory, Wright-Patterson AFB* (**11**, 1, p. 86) Article

G88-014 The Use of Weibull Fault Processes in Modeling Fault Tolerant Systems. Robert Geist and Mark Smotherman, *Clemson University*; Kishor Trivedi and Joanne Dugan, *Duke University* (**11**, 1, p. 91) Engineering Note

G88-015 Approach Trajectory Guidance for Maximum Concealment. David N. Warner Jr., *NASA Ames Research Center* (**11**, 1, p. 94) Engineering Note

G88-016 Development of Low-Altitude Air Defense Systems (History of Key Technologies). Mike W. Fossier, *Raytheon Company* (**11**, 2, p. 97) Article

G88-017 Preliminary Performance Analysis of an Interplanetary Navigation System Using Asteroid Based Beacons. J. Rodney Jee, Ahmad R. Khatib, Ronald J. Muellerschoen and Bobby G. Williams, *Jet Propulsion Laboratory, California Institute of Technology*; and Mark A. Vincent, *University of Colorado* (**11**, 2, p. 103) Article based on AIAA Paper 86-2217 CP867

G88-018 Navigation and Pointing Timeline Development for an Autonomous Free-Flying Shuttle Payload. S. D. Lambros, D. J. Olney and J. G. Watzin, *NASA Goddard Space Flight Center* (**11**, 2, p. 110) Article based on AIAA Paper 86-2526 CP8611

G88-019 Hubble Space Telescope Precision Pointing Control System. G. A. Beals, R. C. Crum, H. J. Dougherty, D. K. Hegel, J. L. Kelley and J. J. Rodden, *Lockheed Missiles & Space Company, Inc.* (**11**, 2, p. 119) Article based on AIAA Paper 86-1981 CP869

G88-020 Spillover Alleviation for Nonlinear Active Control of Vibration. Andre Preumont, *Virginia Polytechnic Institute and State University* (**11**, 2, p. 124) Article

G88-021 Maximum Terminal Velocity Turns at Nearly Constant Altitude. G. Richard Eisler, *Sandia National Laboratories*; and David G. Hull, *University of Texas at Austin* (**11**, 2, p. 131) Article

G88-022 Optimal Control of Supersonic Inlet/Engine Combination. Jiahn-Bo Yarng and Yan-Shen Guan, *Northwestern Polytechnical University, China* (**11**, 2, p. 137) Article

G88-023 Preview Control Pilot Model for Near-Earth Maneuvering Helicopter Flight. R. A. Hess and K. K. Chan, *University of California, Davis* (**11**, 2, p. 146) Article based on AIAA Paper 86-2252 CP869

G88-024 Adaptive Filtering of Biodynamic Stick Feedthrough in Manipulation Tasks On Board Moving Platforms. M. Velger, A. Grunwald and S. Merhav, *Technion--Israel Institute of*

Technology (11, 2, p. 153) Article based on AIAA Paper 86-2248 CP869

G88-025 Identification of Pilot Dynamics in a System with a Choice of Feedback Structures. Norihiro Goto and Takumi Matsuo, *Kyushu University, Japan* (11, 2, p. 159) Article based on AIAA Paper 86-2250 CP869

G88-026 Estimation of Small Perturbations in an Inertial Sensor. Pedro E. Zadunaisky and Ricardo S. Sanchez Peña, *IIAE--Centro Espacial San Miguel, Argentina* (11, 2, p. 167) Article

G88-027 Simulation of a Random Differential Equation. M. Rehak and H. Benaroya, *Weidlinger Associates* (11, 2, p. 173) Article

G88-028 Simple Computational Technique for Determining Angle-of-Attack Convergence of Conical Re-entry Vehicles. Richard Maurer and Dennis Hall, *Massachusetts Institute of Technology* (11, 2, p. 179) Engineering Note

G88-029 Kalman Filtering for Second-Order Models. Hamid R. Hashemipour, *Tau Corporation*; and Alan J. Laub, *University of California, Santa Barbara* (11, 2, p. 181) Engineering Note

G88-030 Optimal Estimation of Local Orbit from GPS Measurements. Roberto V. F. Lopes and Hélio K. Kuga, *Instituto de Pesquisas Espaciais, Brazil* (11, 2, p. 186) Engineering Note

G88-031 Calculation of Geodetic Coordinates from Earth-Centered, Earth-Fixed Coordinates. Karl Donald Olson II, *Pacific Missile Test Center* (11, 2, p. 188) Engineering Note

G88-033 CEP Calculations for a Rocket with Different Control Systems. Gregor Gregoriou, *ENVIRO GmbH,FRG* (11, 3, p. 193) Article based on AIAA Paper 86-2041 CP869

G88-034 Effects of Strapdown Seeker Scale-Factor Uncertainty on Optimal Guidance. Warren, W. Willman, *U. S. Naval Weapons Center* (11, 3, p. 199) Article

G88-035 Input Selection for a Second-Order Mass Property Estimator. Robert F. Richfield, *U. S. Army Missile Command, Redstone Arsenal*; Bruce K. Walker, *University of Cincinnati*; and Edward V. Bergmann, *Charles Stark Draper Laboratory, Inc.* (11, 3, p. 207) Article based on AIAA Paper 86-1983 CP869

G88-036 Application of Parameter Estimation to Highly Unstable Aircraft. Richard E. Maine and James E. Murray, *NASA Ames Research Center* (11, 3, p. 213) Article based on AIAA Paper 86-2020 CP869

G88-037 Design of a Multivariable Flutter Suppression/Gust Load Alleviation System. B. S. Liebst, W. L. Garrard and Jerome A. Farm, *University of Minnesota* (11, 3, p. 220) Article based on AIAA Paper 86-2247 CP869

G88-038 Microprocessor Controlled Force Actuator. D. C. Zimmerman, *State University of New York at Buffalo*; G. C. Horner, *NASA Langley Research Center*; and D. J. Inman, *State University of New York at Buffalo* (11, 3, p. 230) Article

G88-039 Control Theoretic Approach to Inertial Navigation Systems. I. Y. Bar-Itzhack and N. Berman, *Technion--Israel Institute of Technology* (11, 3, p. 237) Article

G88-040 Inflight Observability of Gyro Reference Frame Misalignment. Whittak H. Huang, *Martin Marietta Corporation* (11, 3, p. 246) Article based on AIAA Paper 86-2151 CP869

G88-041 Computer-Aided Control Systems Design Technique with Applications to Aircraft Flying Qualities. L. R. Pujara, *Wright State University* (11, 3, p. 250) Article

G88-042 Minimum Model Error Estimation for Poorly Modeled Dynamic Systems. Joseph D. Mook, *State University of New York at Buffalo*; and John L. Junkins, *Texas A&M University* (11, 3, p. 256) Article based on AIAA Paper 87-0173
Errata (11, 5, p. 480)

G88-043 Variable-Structure Control of Spacecraft Attitude Maneuvers. Thomas A. W. Dwyer III and Herbertt Sira-Ramirez, *University of Illinois* (11, 3, p. 262) Article

G88-044 Active Vibration Control Synthesis for the Control of Flexible Structures Mast Flight System. Bong Wie, *University of Texas at Austin* (11, 3, p. 271) Article based on AIAA Paper 87-2322 CP878

G88-045 Triangularization of Equations of Motion for Robotic Systems. Dan E. Rosenthal, *Symbolic Dynamics* (11, 3, p. 278) Engineering Note

G88-046 Algorithm to Generate Geodetic Coordinates from Earth-Centered Earth-Fixed Coordinates. Atul Nautiyal, *Defence Research and Development Laboratory, India* (11, 3, p. 281) Engineering Note

G88-047 Evaluation of Image Stability of a Precision Pointing Spacecraft. Hari B. Hablani, *Rockwell International* (11, 3, p. 283) Engineering Note

G88-048 Principal Coordinate Realization of State Estimation and Its Application to Order Reduction. Yoshikazu Miyazawa and Earl H. Dowell, *Duke University* (11, 3, p. 286) Engineering Note

G88-049 Application of Frequency-Domain Handling Qualities Criteria to the Longitudinal Landing Task. Shahan K. Sarrafian and Bruce G. Powers, *NASA Ames Research Center* (11, 4, p. 291) Synoptic based on AIAA Paper 85-1848 CP856

G88-050 Cruise-Dash-Climb Analysis of an Airbreathing Missile. David F. Chichka, *Atlantic Research Corporation*; Uday, J. Shankar, *RCA*; Eugene, M. Cliff and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 293) Article based on AIAA Paper 87-2512 CP878

G88-051 Optimal Evasion with a Path-Angle Constraint and Against Two Pursuers. Joseph Ben-Asher, Eugene, M. Cliff and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 300) Article

G88-052 Singular Optimal Atmospheric Rocket Trajectories. Renjith Kumar and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 305) Article

G88-053 Series Representations and Rational Approximations for Hansen Coefficients. R. J. Proulx and W. D. McClain, *Charles Stark Draper Laboratory, Inc.* (11, 4, p. 313) Article

G88-054 Gamma Guidance Schemes for Flight in a Windshear. A. Miele and T. Wang, *Rice University*; W. W. Melvin, *Delta Airlines*; and R. L. Bowles, *NASA Langley Research Center* (11, 4, p. 320) Article based on AIAA Paper 86-0564

G88-055 Reduced-Order Compensation: Linear-Quadratic Reduction Versus Optimal Projection. S. W. Greeley and D. C. Hyland, *Harris Corporation* (11, 4, p. 328) Article

G88-056 Clutter Effect on the Miss Distance of a Radar Homing Missile. Susumu Miwa, *Tokyo Denki University, Japan*;

Fumiaki Imado and Takeshi Kuroda, *Mitsubishi Electric Corporation, Japan* (11, 4, p. 336) Article based on AIAA Paper 87-2449 CP878

G88-057 Propellant Interaction with the Payload Control System of Dual-Spin Spacecraft. Loren I. Slafer and A. Dorian Challoner, *Hughes Aircraft Company* (11, 4, p. 343) Article

G88-058 Optimal Payload Lofting with Tethers. William E. Wiesel, *U. S. Air Force Institute of Technology, Wright-Patterson AFB* (11, 4, p. 352) Article

G88-059 Some Approximations for the Dynamics of Spacecraft Tethers. A. H. von Flotow, *Massachusetts Institute of Technology* (11, 4, p. 357) Article

G88-060 Stabilization of Computational Procedures for Constrained Dynamical Systems. K. C. Park and J. C. Chiou, *University of Colorado* (11, 4, p. 365) Article

G88-061 Discrete Optimal Tracking with Prescribed Disturbances. M. Shefer, *Ministry of Defence, Israel* (11, 4, p. 371) Engineering Note

G88-062 Molniya Orbits Obtained by the Two-Burn Method. Abraham D. Stone and R. F. Brodsky, *TRW Space and Technology Group* (11, 4, p. 372) Engineering Note

G88-063 Optimal Proportional Navigation. Ciann-Dong Yang and Fang-Bo Yeh, *National Cheng Kung University, Taiwan, ROC* (11, 4, p. 375) Engineering Note

G88-064 Dynamics and Control of a Space Platform with a Tethered Subsatellite. Fan Ruying, *Beijing Institute of Control Engineering, China*; and Peter M. Bainum, *Howard University* (11, 4, p. 377) Engineering Note

G88-065 Vector Representation of Finite Rotations. James C. Wilcox, *TRW Space and Technology Group* (11, 4, p. 381) Engineering Note

G88-066 Spin Rate Variations of Spin-Stabilized Apogee Motors in Thrust Phase. V. Adimurthy and Pradeep Kumar, *Vikram Sarabhai Space Centre, India*; and S. Lakshminarayanan, *Vikram Sarabhai Space Center, India* (11, 4, p. 382) Engineering Note

G88-067 Artificial Intelligence Design Challenge--Background, Analysis, and Relative Performance of Algorithms. Owen L. Deutsch, *Charles Stark Draper Laboratory, Inc.* (11, 5, p. 386) Article based on AIAA Paper 87-2339 CP878

G88-068 Efficiency-Guided Method for Traveling-Salesman-Like Resource Allocation Problems. William H. Press, *Harvard University*; and Curtis G. Callan Jr., *Princeton University* (11, 5, p. 394) Article based on AIAA Paper 87-2334 CP878

G88-069 Multiple Algorithm Solution to the Artificial Intelligence Design Challenge. Karl W. Doty, *The Aerospace Corporation* (11, 5, p. 397) Article based on AIAA Paper

G88-070 Rapid Solution of Constrained Traveling Salesman Problems. Clifford D. DeJong, *Kaman Sciences Corporation* (11, 5, p. 403) Article based on AIAA Paper 87-2332 CP878

G88-071 Weighted Hamiltonian Augmentation Method Involving Insertions. Roy W. Dahl, Karen Keating and Laurence Levy, *DISTINCT Management Consultants*; Daryl J. Salamone, *University of Maryland*; Barindra Nag, *Towson State University*; and Joan A. Sanborn, *NASA Goddard Space Flight Center* (11, 5, p. 412) Article based on AIAA Paper 87-2333 CP878

G88-072 Birth of a Salesman. John J. Shaw, Ronald M. James and Daniel B. Grunberg, *ALPHATECH, Inc.* (11, 5, p. 415) Article based on AIAA Paper 87-2335 CP878

G88-073 Brute Force and Artificial Intelligence. David Barry Schaechter, *Lockheed Palo Alto Research Laboratory* (11, 5, p. 421) Article based on AIAA Paper 87-2337 CP878

G88-074 Expert Systems Approach for Generalized Traveling Salesman Problem. Yuval Lirov, *Washington University* (11, 5, p. 425) Article based on AIAA Paper 87-2328 CP878

G88-075 Solution to the Traveling Salesman Problem Using Heuristic Function Maximization. Chien Y. Huang, *Grumman Aerospace Corporation*; and Stephen H. Lane, *Princeton University* (11, 5, p. 430) Article based on AIAA Paper 87-2338 CP878

G88-076 Branch-and-Cut Approach to a Variant of the Traveling Salesman Problem. Manfred Padberg, *New York University*; and Giovanni Rinaldi, *Istituto di Analisi dei Sistemi ed Informatica del CNR, Italy* (11, 5, p. 436) Article based on AIAA Paper 87-2331 CP878

G88-077 Theoretical and Experimental Investigation of Space-Realizable Inertial Actuation for Passive and Active Structural Control. David W. Miller and Edward F. Crawley, *Massachusetts Institute of Technology* (11, 5, p. 449) Article

G88-078 Reduced-Order Modeling of Flexible Structures. Jayant V. Ramakrishnan, S. Vittal Rao and Leslie R. Koval, *University of Missouri--Rolla* (11, 5, p. 459) Article

G88-079 Pilot/Vehicle Analysis of a Twin-Lift Helicopter Configuration in Hover. R. A. Hess and P. M. Tran, *University of California, Davis* (11, 5, p. 465) Article based on AIAA Paper 87-0345

G88-080 Finite-Time Matrix Convolution Integral Sensitivity Calculations. James D. Turner, *Cambridge Research*; Achille Messac, *Charles Stark Draper Laboratory, Inc.*; and John L. Junkins, *Virginia Polytechnic Institute and State University* (11, 5, p. 473) Article

G88-081 Low-Thrust Insertion into Orbit around Mars. S. A. Parvez, *GTE Spacenet Corporation*; and J. M. L. Holman, *RCA Aerospace and Defense* (11, 5, p. 475) Engineering Note based on AIAA Paper 87-0093

G88-082 Tethered Subsatellite Swinging from Atmospheric Gradients. Junjiro Onoda and Naoyuki Watanabe, *The Institute of Space and Astronautical Science, Japan* (11, 5, p. 477) Engineering Note

G88-083 Heuristic Approach to the Artificial Intelligence Design Challenge. Ting-Yi Sung, Her-Jiun Sheu and Denis Naddef, *New York University* (11, 5, p. 406) Article based on AIAA Paper 87-2336 CP878

G88-084 Advantages of Tether Release of Satellites from Elliptic Orbits. George A. Kyroudis, *TRW Space and Technology Group*; and Bruce A. Conway, *University of Illinois* (11, 5, p. 441) Article based on AIAA Paper 86-2276 CP869

G88-085 Miss Distance Analysis for Command Guided Missiles. Joel Alpert, *Massachusetts Institute of Technology, Lincoln Laboratory* (11, 6, p. 481) Article based on AIAA Paper 87-2582 CP878

G88-086 Exactly Solving the Weighted Time/Fuel Optimal Control of an Undamped Harmonic Oscillator. Marcelo Lopes de Oliveira e Souza, *Instituto de Pesquisas Espaciais, Brazil* (11, 6, p. 488) Article

G88-087 New Insights into Minimum-Variance Reduced-Order Filters. Roy H. Setterlund, *Charles Stark Draper Laboratory, Inc.* (**11**, 6, p. 495) Article

G88-088 Enhanced Assessment of Robustness for an Aircraft's Sliding Mode Controller. S. K. Mudge and R. J. Patton, *University of York, England, UK* (**11**, 6, p. 500) Article

G88-089 Failure Detection in Dynamic Systems with Modeling Errors. Dan T. Horak, *Allied-Signal Aerospace Company* (**11**, 6, p. 508) Article based on AIAA Paper 87-2604 CP878

G88-090 Advanced Detection, Isolation, and Accommodation of Sensor Failures--Real-Time Evaluation. Walter C. Merrill, John C. DeLaat and William M. Bruton, *NASA Lewis Research Center* (**11**, 6, p. 517) Article

G88-091 Fundamental Approach to Equivalent Systems Analysis. Barton J. Bacon and David K. Schmidt, *Purdue University* (**11**, 6, p. 527) Article based on AIAA Paper 86-2128 CP869

G88-092 Loop Separation Parameter: A New Metric for Landing Flying Qualities. J. J. Martz and D. J. Biezad, *Aeronautical Systems Division, Wright-Patterson AFB*; and E. D. DiDominico, *U. S. Air Force Test Pilot School, Edwards AFB* (**11**, 6, p. 535) Article based on AIAA Paper 87-2536 CP878

G88-093 Maneuver and Vibration Control of SCOLE. R. D. Quinn and L. Meirovitch, *Virginia Polytechnic Institute and State University* (**11**, 6, p. 542) Article

G88-094 Pole-Zero Modeling of Flexible Space Structures. Bong Wie, *University of Texas at Austin*; and Arthur E. Bryson Jr., *Stanford University* (**11**, 6, p. 554) Article

G88-095 Block-Krylov Component Synthesis Method for Structural Model Reduction. Roy R. Craig Jr., *University of Texas at Austin*; and Arthur L. Hale, *General Dynamics Space Systems Division* (**11**, 6, p. 562) Article

G88-096 Identification Method for Lightly Damped Structures. Nelson G. Creamer, *General Research Corporation*; and John L. Junkins, *Texas A&M University* (**11**, 6, p. 571) Article

G88-097 Gyrostat Trajectories and Core Energy. M. Guelman, *International Telecommunications Statelite Organization* (**11**, 6, p. 577) Article

G88-098 Efficient Inclination Control for Geostationary Satellites. D. D. Slavinskas, H. Dabbaghi and W. J. Benden, *AT&T Bell Laboratories*; and G. K. Johnson, *AT&T-Communications* (**11**, 6, p. 584) Article based on AIAA Paper 85-0216

G88-099 Identity Between INS Position and Velocity Error Equations in the True Frame. I. Y. Bar-Itzhack and D. Goshen-Meskin, *Technion--Israel Institute of Technology* (**11**, 6, p. 590) Engineering Note

G88-100 Singular Perturbation and Time Scale Approaches in Discrete Control Systems. D. S. Naidu, *Old Dominion University*; and D. B. Price, *NASA Langley Research Center* (**11**, 6, p. 592) Engineering Note

G88-101 Extensional Oscillations of Tethered Satellite Systems. A. K. Misra, *McGill University, Canada*; and V. J. Modi, *University of British Columbia, Canada* (**11**, 6, p. 594) Engineering Note based on AIAA Paper 86-2274 CP867

G88-102 Dynamic Simulation of Spin-Stabilized Spacecraft with Sloshing Fluid Stores. Daniel E. Hill and Joseph, R. Baumgarten, *Iowa State University*; and John T. Miller, *Arnold Engineering Development Center* (**11**, 6, p. 597) Engineering Note

U.S. Postal Service

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1A. Title of Publication	1B. PUBLICATION NO.	2. Date of Filing
Journal of Guidance, Control, and Dynamics	0 7 3 1 5 0	9-30-88
3. Frequency of Issue	3A. No. of Issues Published Annually	3B. Annual Subscription Price
Bimonthly	6	$23.00

4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers)
370 L'Enfant Promenade, S.W.
Washington,D. C. 20024

5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer)
(same as above)

6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (Do not leave blank)
Publisher (Name and Complete Mailing Address)
American Institute of Aeronautics and Astronautics, Inc.
(same as above)
Editor (Name and Complete Mailing Address)
Donald C. Fraser
(same as above)
Managing Editor (Name and Complete Mailing Address)
William F. O'Connor
(same as above)

7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

Full Name	Complete Mailing Address
American Institute of Aeronautics and Astronautics, Inc.	same as above

8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)

Full Name	Complete Mailing Address
none	

9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 424.12 only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)
(1) [x] Has Not Changed During Preceding 12 Months (2) [ ] Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)

10. Extent and Nature of Circulation (See instructions on reverse side)	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	3417	3500
B. Paid and/or Requested Circulation: 1. Sales through dealers and carriers, street vendors and counter sales	-	-
2. Mail Subscription (Paid and/or requested)	2988	3100
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)	2988	3100
D. Free Distribution by Mail, Carrier or Other Means (Samples, Complimentary, and Other Free Copies)	127	127
E. Total Distribution (Sum of C and D)	3115	3227
F. Copies Not Distributed: 1. Office use, left over, unaccounted, spoiled after printing	302	273
2. Return from News Agents	-	-
G. TOTAL (Sum of E, F1 and 2--should equal net press run shown in A)	3417	3500

11. I certify that the statements made by me above are correct and complete. Signature and Title of Editor, Publisher, Business Manager, or Owner: Controller

PS Form 3526, Dec. 1987 (See instructions on reverse)